

Test Report

號碼(No.): ETR23C05759 日期(Date): 11-Jan-2024 頁數(Page): 1 of 18

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant

BASIC INFORMATION				
Type of Product	SMD C TYPE			
Supplier Company Name	EVERLIGHT			
Address	NO.6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN			
Tel / Fax / Email	TEL:886-2685-6688			
	FAX:886-2685-6699			
	E-MAIL: lindawang@everlight.com			
Contact Person	LI LING WANG			
EVERLIGHT REPORT NO	SMD C TYPE MID SERIES			
	Sampling Product: IR89-01C/L447/1R-SGS-11-Jan-2024			
PRODUCT INFORMATION				
Product/component Sample description	SMD IR LED with MID technology			
Quantity (numbers or weight)	0.0186 g			
EVERLIGHT P/N	SMD C TYPE MID SERIES			
	Sampling Product: IR89-01C/L447/1R			
Product Lot No	T231122A7902D07L5			
Country of Origin	TAIWAN			
TEST INFORMATION				
Sample preparation	CUTTING			
Test Method	RoHS: IEC 62321, Halogen: BS EN 14582			
MDL	Cd, Pb, Hg: 2 mg/kg, PBBs/PBDEs: 5 mg/kg, Halogen: 50 mg/kg			

送樣廠商(Sample Submitted By) : 億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.)

收件日(Sample Receiving Date) : 28-Dec-2023

測試期間(Testing Period) : 28-Dec-2023 to 11-Jan-2024

測試結果(Test Results) 請參閱下一頁 (Please refer to following pages).

Signed for and on behalf 💸 SĞS TAIWAN LTD. Chemical Laboratory - Taipei





Test Report

號碼(No.): ETR23C05759 日期(Date): 11-Jan-2024 頁數(Page): 2 of 18

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

測試需求(Test Requested)

- (1) 依據客戶指定·參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試 編、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)
- (2) 依據客戶指定‧測試 PAHs 及其他測項。 (As specified by client, to test PAHs and other item(s).)

結 論(Conclusion)

- (1) 根據客戶所提供的樣品,其編、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.)
- (2) 根據客戶所提供的樣品,多環芳香烴測試結果符合德國產品安全委員會(AfPS) GS PAHs第 3 類「其它產品」之限值要求。(Based upon the performed tests on the submitted sample(s), the test results of PAHs (15 items) comply with the limits of PAHs requirement (Category 3)「Other consumer products」 as set by German Committee on Product Safety (AfPS) GS PAHs.)

測試部位敘述 (Test Part Description)

No.1 : SMD C TYPE MID SERIES

測試結果 (Test Results)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
鎘 (Cd) (Cadmium (Cd))	參考IEC 62321-5: 2013,以感應耦合電	mg/kg	2	n.d.	100
	漿發射光譜儀分析。(With reference to				
鉛 (Pb) (Lead (Pb))	IEC 62321-5: 2013, analysis was	mg/kg	2	n.d.	1000
	performed by ICP-OES.)				
汞 (Hg) (Mercury (Hg))	參考IEC 62321-4: 2013+ AMD1: 2017	mg/kg	2	n.d.	1000
	,以感應耦合電漿發射光譜儀分析。				
	(With reference to IEC 62321-4:				
	2013+ AMD1: 2017, analysis was				
	performed by ICP-OES.)				



Test Report

號碼(No.): ETR23C05759 日期(Date): 11-Jan-2024 頁數(Page): 3 of 18

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(To at It ama a)	測試項目 測試方法		MDL	結果	限值
(Test Items) (Method)		(Unit)		(Result)	(Limit)
				No.1	
六價鉻 Cr(VI) (Hexavalent Chromium	參考IEC 62321-7-2: 2017,以紫外光-	mg/kg	8	n.d.	1000
Cr(VI))	可見光分光光度計分析。(With				
	reference to IEC 62321-7-2: 2017,				
	analysis was performed by UV-VIS.)				
一溴聯苯 (Monobromobiphenyl)		mg/kg	5	n.d.	-
二溴聯苯 (Dibromobiphenyl)]	mg/kg	5	n.d.	-
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.	-
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.	-
五溴聯苯 (Pentabromobiphenyl)		mg/kg	5	n.d.	-
六溴聯苯 (Hexabromobiphenyl)		mg/kg	5	n.d.	-
七溴聯苯 (Heptabromobiphenyl)		mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	-
十溴聯苯 (Decabromobiphenyl)	參考IEC 62321-6: 2015,以氣相層析儀/	mg/kg	5	n.d.	-
多溴聯苯總和 (Sum of PBBs)	質譜儀分析。(With reference to IEC	mg/kg	ı	n.d.	1000
一溴聯苯醚 (Monobromodiphenyl ether)	62321-6: 2015, analysis was	mg/kg	5	n.d.	-
二溴聯苯醚 (Dibromodiphenyl ether)	performed by GC/MS.)	mg/kg	5	n.d.	-
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.	-
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.	-
五溴聯苯醚 (Pentabromodiphenyl ether)		mg/kg	5	n.d.	-
六溴聯苯醚 (Hexabromodiphenyl ether)		mg/kg	5	n.d.	-
七溴聯苯醚 (Heptabromodiphenyl ether)		mg/kg	5	n.d.	-
八溴聯苯醚 (Octabromodiphenyl ether)]	mg/kg	5	n.d.	-
九溴聯苯醚 (Nonabromodiphenyl ether)]	mg/kg	5	n.d.	-
十溴聯苯醚 (Decabromodiphenyl ether)]	mg/kg	5	n.d.	-
多溴聯苯醚總和 (Sum of PBDEs)]	mg/kg	-	n.d.	1000
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl		mg/kg	50	n.d.	1000
benzyl phthalate (BBP))					
鄰苯二甲酸二丁酯 (DBP) (Dibutyl	參考IEC 62321-8: 2017·以氣相層析儀/	mg/kg	50	n.d.	1000
phthalate (DBP))	質譜儀分析。(With reference to IEC				
鄰苯二甲酸二(2-乙基己基)酯 (DEHP)	62321-8: 2017, analysis was	mg/kg	50	n.d.	1000
(Di-(2-ethylhexyl) phthalate (DEHP))	performed by GC/MS.)	5 5			
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl	1	mg/kg	50	n.d.	1000
phthalate (DIBP))		5 5			



Test Report

號碼(No.): ETR23C05759 日期(Date): 11-Jan-2024 頁數(Page): 4 of 18

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Method)	測試項目	測試方法	單位	MDL	結果	限值
爾苯二甲酸二異癸酯 (DIDP) (Diisodecyl phthalate (DIDP)) (CAS No.: 26761-40-0, 68515-49-1)	(Test Items)	(Method)	(Unit)		` ′	(Limit)
phthalate (DIDP)) (CAS No.: 26761-40-0, 68515-49-1) 鄰苯二甲酸二異王盾 (DINP) (CAS No.: 28553-12-0, 68515-48-0) 鄰苯二甲酸二正辛酯 (DNOP) (Di-noctyl phthalate (DNOP)) (CAS No.: 117-84-0) 鄰苯二甲酸二正戊酯 (DNPP) (CAS No.: 131-18-0) 泰考IEC 62321-8: 2017 · 以氣相屬析儀/ 質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.) 鄰苯二甲酸 (DMP) (CAS No.: 84-75-3) 鄰苯二甲酸 (DMP) (CAS No.: 131-11-3) 鄰苯二甲酸二甲酯 (DMP) (Di-nocyl phthalate (DMP)) (CAS No.: 131-11-3) 鄰苯二甲酸二甲酯 (DMP) (Dimethyl phthalate (DMP)) (CAS No.: 131-11-3) 鄰苯二甲酸二甲酯 (DMP) (Dimethyl phthalate (DMP)) (CAS No.: 131-11-3) 鄰苯二甲酸二甲酯 (DNP) (CAS No.: 131-11-3) 鄰苯二甲酸二异酯 (DIOP) (Diisooctyl phthalate (DIOP)) (CAS No.: 27554-26-3) 鄰苯二甲酸二异酯 (DNNP) (CAS No.: 1763-23-1 and its salts) (CAS No.: 1763-23-1 and its salts) (CAS No.: 1763-23-1 and its salts)					No.1	
## 二甲酸二異壬酯 (DINP) (CAS No.: 2855-3-12-0, 68515-48-0)	1 1		mg/kg	50	n.d.	-
一方						
(Diisononyl phthalate (DINP)) (CAS No.: 28553-12-0, 68515-48-0)	,					
No.: 28553-12-0, 68515-48-0	鄰苯二甲酸二異壬酯 (DINP)		mg/kg	50	n.d.	-
本学 中酸二正辛酯 (DNOP) (Di-notyl phthalate (DNOP) (Di-notyl phthalate (DNOP) (CAS No.: 117-84-0) 本学 中級 中級 中級 中級 中級 中級 中級 中	(Diisononyl phthalate (DINP)) (CAS					
Cotyl phthalate (DNOP) (CAS No.: 117-84-0)	No.: 28553-12-0, 68515-48-0)					
117-84-0	鄰苯二甲酸二正辛酯 (DNOP) (Di-n-		mg/kg	50	n.d.	-
郷苯二甲酸二正戊酯 (DNPP) (Di-n-pentyl phthalate (DNPP)) (CAS No.: 131-18-0)	octyl phthalate (DNOP)) (CAS No.:					
pentyl phthalate (DNPP)) (CAS No.: 131-18-0) #苯二甲酸二正己酯 (DNHP) (Di-n-hexyl phthalate (DNHP)) (CAS No.: 84-75-3) #苯二甲酸雙(2-甲氧基乙基)酯 (DMEP) (Bis(2-methoxyethyl) phthalate (DMEP)) (CAS No.: 131-11-3) #苯二甲酸二甲酯 (DMP) (Dimethyl) phthalate (DMP)) (CAS No.: 131-11-3) #苯二甲酸二异辛酯 (DIOP) (Diisooctyl phthalate (DIOP)) (CAS No.: 27554-26-3) #苯二甲酸二正壬酯 (DNNP) (Di-n-nonyl phthalate (DNNP)) (CAS No.: 84-76-4) 全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	117-84-0)					
# 第三甲酸二正己酯 (DNHP) (Di-n-hexyl phthalate (DNHP)) (CAS No.: 84-75-3) # 第三甲酸雙(2-甲氧基乙基)酯 (DMEP) (Bis(2-methoxyethyl) phthalate (DMEP)) (CAS No.: 117-82-8) # 第三甲酸二甲酯 (DMP) (Dimethyl phthalate (DMP)) (CAS No.: 131-11-3) # 第三甲酸二异辛酯 (DIOP) (Diisooctyl phthalate (DIOP)) (CAS No.: 27554-26-3) # 第三甲酸二正壬酯 (DNNP) (Di-n-nonyl phthalate (DNNP)) (CAS No.: 27554-26-4) 全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts) 全氟辛酸及其鹽類 (PFOA and its salts) 全氟辛酸及其鹽類 (PFOA and its salts) 全氟辛酸及其鹽類 (PFOA and its salts)	鄰苯二甲酸二正戊酯 (DNPP) (Di-n-		mg/kg	50	n.d.	-
郷苯二甲酸二正己酯 (DNHP) (Di-n-hexyl phthalate (DNHP)) (CAS No.: 84-75-3)質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)mg/kg50n.d郷苯二甲酸雙(2-甲氧基乙基)酯 (DMEP) (Bis(2-methoxyethyl) phthalate (DMEP)) (CAS No.: 117-82-8)mg/kg50n.d郷苯二甲酸二甲酯 (DMP) (Dimethyl phthalate (DMP)) (CAS No.: 131-11-3)mg/kg50n.d郷苯二甲酸二其辛酯 (DIOP) (Diisooctyl phthalate (DIOP)) (CAS No.: 27554-26-3)mg/kg50n.d北京山野山村村村村村村村村村村村村村村村村村村村村村村村村村村村村村村村村村村村	pentyl phthalate (DNPP)) (CAS No.:					
hexyl phthalate (DNHP)) (CAS No.: 84-75-3) 鄰苯二甲酸雙(2-甲氧基乙基)酯 (DMEP) (Bis(2-methoxyethyl) phthalate (DMEP)) (CAS No.: 117-82-8) 鄰苯二甲酸二甲酯 (DMP) (Dimethyl phthalate (DMP)) (CAS No.: 131-11-3) 鄰苯二甲酸二異辛酯 (DIOP) (Diisooctyl phthalate (DIOP)) (CAS No.: 27554-26-3) 鄰苯二甲酸二正壬酯 (DNNP) (Di-n-nonyl phthalate (DNNP)) (CAS No.: 84-76-4) 全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts) 全氟辛酸及其鹽類 (PFOA and its salts) 全氟辛酸及其鹽類 (PFOA and its salts)	131-18-0)	参考IEC 62321-8: 2017·以氣相層析儀/				
hexyl phthalate (DNHP)) (CAS No.: 84-75-3) 鄰苯二甲酸雙(2-甲氧基乙基)酯 (DMEP) (Bis(2-methoxyethyl) phthalate (DMEP)) (CAS No.: 117-82-8) 鄰苯二甲酸二甲酯 (DMP) (Dimethyl phthalate (DMP)) (CAS No.: 131-11-3) 鄰苯二甲酸二異辛酯 (DIOP) (Diisooctyl phthalate (DIOP)) (CAS No.: 27554-26-3) 鄰苯二甲酸二正壬酯 (DNNP) (Di-n-nonyl phthalate (DNNP)) (CAS No.: 84-76-4) 全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts) 全氟辛酸及其鹽類 (PFOA and its salts) 全氟辛酸及其鹽類 (PFOA and its salts)	鄰苯二甲酸二正己酯 (DNHP) (Di-n-	質譜儀分析。(With reference to IEC	mg/kg	50	n.d.	-
performed by GC/MS.) 本本二甲酸雙(2-甲氧基乙基)酯 (DMEP) (Bis(2-methoxyethyl) phthalate (DMEP)) (CAS No.: 117-82-8) mg/kg 50 n.d. -	hexyl phthalate (DNHP)) (CAS No.:	62321-8: 2017, analysis was	J. J			
(Bis(2-methoxyethyl) phthalate (DMEP)) (CAS No.: 117-82-8)	84-75-3)					
(Bis(2-methoxyethyl) phthalate (DMEP)) (CAS No.: 117-82-8)	鄰苯二甲酸雙(2-甲氧基乙基)酯 (DMEP)		mg/kg	50	n.d.	_
一方	(Bis(2-methoxyethyl) phthalate		J. J			
phthalate (DMP)) (CAS No.: 131-11-3) 鄰苯二甲酸二異辛酯 (DIOP) (Diisooctyl phthalate (DIOP)) (CAS No.: 27554-26-3) 鄰苯二甲酸二正壬酯 (DNNP) (Di-nnonyl phthalate (DNNP)) (CAS No.: 84-76-4) 全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts) 全氟辛酸及其鹽類 (PFOA and its salts) 全氟辛酸及其鹽類 (PFOA and its salts)	(DMEP)) (CAS No.: 117-82-8)					
phthalate (DMP)) (CAS No.: 131-11-3) 鄰苯二甲酸三異辛酯 (DIOP) (Diisooctyl phthalate (DIOP)) (CAS No.: 27554-26-3) 鄰苯二甲酸三正壬酯 (DNNP) (Di-nnonyl phthalate (DNNP)) (CAS No.: 84-76-4) 全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts) 全氟辛酸及其鹽類 (PFOA and its salts) 全氟辛酸及其鹽類 (PFOA and its salts)	鄰苯二甲酸二甲酯 (DMP) (Dimethyl		mg/kg	50	n.d.	-
phthalate (DIOP)) (CAS No.: 27554-26-3) 鄰苯二甲酸二正壬酯 (DNNP) (Di-nnonyl phthalate (DNNP)) (CAS No.: 84-76-4) 全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts) 全氟辛酸及其鹽類 (PFOA and its salts) 全氟辛酸及其鹽類 (PFOA and its salts)	phthalate (DMP)) (CAS No.: 131-11-3)		3. 3			
phthalate (DIOP)) (CAS No.: 27554-26-3) 鄰苯二甲酸二正壬酯 (DNNP) (Di-nnonyl phthalate (DNNP)) (CAS No.: 84-76-4) 全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts) 全氟辛酸及其鹽類 (PFOA and its salts) 全氟辛酸及其鹽類 (PFOA and its salts)	鄰苯二甲酸二異辛酯 (DIOP) (Diisooctyl		mg/kg	50	n.d.	-
26-3			J. J			
nonyl phthalate (DNNP)) (CAS No.: 84-76-4) 全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts) 全氟辛酸及其鹽類 (PFOA and its salts) 全氟辛酸及其鹽類 (PFOA and its salts) 中華 (PFOA and its salts) 中華 (PFOA and its salts)	· · · · · · · · · · · · · · · · · · ·					
nonyl phthalate (DNNP)) (CAS No.: 84-76-4) 全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts) 全氟辛酸及其鹽類 (PFOA and its salts) 全氟辛酸及其鹽類 (PFOA and its salts) 中華 (PFOA and its salts) 中華 (PFOA and its salts)	鄰苯二甲酸二正壬酯 (DNNP) (Di-n-		mg/kg	50	n.d.	-
84-76-4) 全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts) 全氟辛酸及其鹽類 (PFOA and its salts) 全氟辛酸及其鹽類 (PFOA and its salts) performed by I C/MS/MS) mg/kg 0.01 n.d	` ' '		3. 3			
salts) (CAS No.: 1763-23-1 and its salts) 全氟辛酸及其鹽類 (PFOA and its salts) Performed by LC/MS/MS) ***********************************						
salts) (CAS No.: 1763-23-1 and its salts) 全氟辛酸及其鹽類 (PFOA and its salts) Performed by LC/MS/MS) ***********************************	全氟辛烷磺酸及其鹽類 (PFOS and its	A +/ CT 1 - C 1 - C C C C C C C C C C C C C C C	mg/kg	0.01	n.d.	-
salts) 全氟辛酸及其鹽類 (PFOA and its salts) performed by LC/MS/MS) mg/kg 0.01 n.d	•		, J			
至氟羊酸及兵鹽類 (PFOA and its saits) performed by I C/MS/MS) mg/kg U.U.I n.d. -		`				
Thenormed by the property of t	全氟辛酸及其鹽類 (PFOA and its salts)		mg/kg	0.01	n.d.	-
	(CAS No.: 335-67-1 and its salts)	performed by LC/MIS/MIS.)	, J			



Test Report

號碼(No.): ETR23C05759 日期(Date): 11-Jan-2024 頁數(Page): 5 of 18

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result) No.1	(Limit)
多環芳香烴 (Polycyclic Aromatic Hydrocarbons) (PAHs)					
苯駢(a)芘 (Benzo[a]pyrene) (CAS No.: 50-32-8)		mg/kg	0.2	n.d.	Δ
苯駢(e)芘 (Benzo[e]pyrene) (CAS No.: 192-97-2)		mg/kg	0.2	n.d.	Δ
苯駢蒽 (Benzo[a]anthracene) (CAS No.: 56-55-3)		mg/kg	0.2	n.d.	Δ
苯(b)苯駢芴 (Benzo[b]fluoranthene) (CAS No.: 205-99-2)		mg/kg	0.2	n.d.	Δ
苯(j)苯駢芴 (Benzo[j]fluoranthene) (CAS No.: 205-82-3)		mg/kg	0.2	n.d.	Δ
苯(k)苯駢芴 (Benzo[k]fluoranthene) (CAS No.: 207-08-9)	參考AfPS GS 2019:01 PAK,以氣相層析	mg/kg	0.2	n.d.	Δ
菌 (Chrysene) (CAS No.: 218-01-9)	参考AIPS GS 2019:01 PAR ・以氣相層析 儀/質譜儀分析。(With reference to	mg/kg	0.2	n.d.	Δ
二苯駢蒽 (Dibenzo[a,h]anthracene) (CAS No.: 53-70-3)	AfPS GS 2019:01 PAK, analysis was performed by GC/MS.)	mg/kg	0.2	n.d.	Δ
苯駢菲 (Benzo[g,h,i]perylene) (CAS No.: 191-24-2)	perioritica by GC/1413.)	mg/kg	0.2	n.d.	Δ
茚酮芘 (Indeno[1,2,3-c,d]pyrene) (CAS No.: 193-39-5)		mg/kg	0.2	n.d.	Δ
蒽 (Anthracene) (CAS No.: 120-12-7)		mg/kg	0.2	n.d.	Δ
苯駢芴 (Fluoranthene) (CAS No.: 206-44-0)		mg/kg	0.2	n.d.	Δ
菲 (Phenanthrene) (CAS No.: 85-01-8)		mg/kg	0.2	n.d.	Δ
芘 (Pyrene) (CAS No.: 129-00-0)		mg/kg	0.2	n.d.	Δ
萘 (Naphthalene) (CAS No.: 91-20-3)		mg/kg	0.2	n.d.	Δ
多環芳香烴15項總和 (Sum of 15 PAHs)		mg/kg	-	n.d.	Δ



Test Report

號碼(No.): ETR23C05759 日期(Date): 11-Jan-2024 頁數(Page): 6 of 18

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

測試項目	測試項目 測試方法		MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
六溴環十二烷及所有主要被辨別出的異構物(HBCDD) (α - HBCDD, β - HBCDD, γ - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	參考IEC 62321: 2008·以氣相層析儀/質譜儀分析。(With reference to IEC 62321: 2008, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
氟 (F) (Fluorine (F)) (CAS No.: 14762- 94-8)		mg/kg	50	126	-
氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537-15-1)	參考BS EN 14582: 2016 · 以離子層析儀 分析。(With reference to BS EN	mg/kg	50	n.d.	-
溴 (Br) (Bromine (Br)) (CAS No.: 10097-32-2)	14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	-
鈹 (Be) (Beryllium (Be)) (CAS No.: 7440-41-7)	參考US EPA 3052: 1996.以感應耦合電 漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. 除非另有說明,參照ILAC-G8:09/2019,採用簡單二元(w=0)允收規則進行符合性判定;根據此規則,符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)



Test Report

號碼(No.): ETR23C05759 日期(Date): 11-Jan-2024 頁數(Page): 7 of 18

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

PAHs Remark:

△ 德國產品安全委員會(AfPS): GS PAHs 要求

AfPS (German commission for Product Safety): GS PAHs requirements

	第1類(Category 1)	第 1 類(Category 1) 第 2 類(Category 2)		第 3 類(Category 3)	
項目 (Parameter)	意圖放入口中的材料或者長時間接觸皮膚(超過 30 秒)的 2009/48/EC 定義的玩具材料和 3 歲以下兒童使用的產品(Materials intended to be placed in the mouth, or materials in toys (Directive 2009/48/EC) or articles for children up to 3	are not in Category 1, with intended or foreseeable long-term		不屬於第 1 類或第 2 類的材料·並意 圖或可預見與皮膚接觸不超過 30 秒 (短期皮膚接觸)(Materials not covered by Category 1 or 2, with	
	years of age with intended long-term skin contact (> 30 seconds))	a. 供 14 歲以下兒童使 用的產品(Use by children under 14)	consumer	a. 供 14 歲以下兒童使 用的產品(Use by children under 14)	consumer
Naphthalene	< 1	< 2		< 10	
Phenanthrene					
Anthracene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Fluoranthene	< 1 3dili	\ 3 3uiii	< 10 3uiii	< 20 Julii	< 50 Suiti
Pyrene					
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[b]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[j]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[k]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[e]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Indeno[1,2,3-c,d] pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenzo[a,h]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[g,h,i]perylene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
15 項 PAH 總濃度 (Sum of 15 PAH)	< 1	< 5	< 10	< 20	< 50

單位(Unit): mg/kg



Test Report

號碼(No.): ETR23C05759 日期(Date): 11-Jan-2024 頁數(Page): 8 of 18

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

PFAS Remark:

現有PFAS定量技術是分析PFAS物質的特定結構,但同碳數族群之PFAS酸及鹽類物質,其可被辨識的特定結構相同,因此無法區別所分析的特定結構是來自酸或者鹽類,故測試結果為同碳數族群之PFAS之酸及鹽類物質的濃度總合。下表PFAS物質濃度皆已包含在測試結果中,相關資訊請參見下表:(下表列舉PFAS物質僅為範例,並不包含所有同碳數族群之PFAS鹽類。)

(The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

物質濃度分類 (Classification of Substance Concentration)	物質名稱 (Substance Name)	CAS No.
	全氟辛烷磺酸 (PFOS)	1763-23-1
	全氟辛基磺酸鉀 (PFOS-K) Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
	全氟辛基磺酸鋰 (PFOS-Li) Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
	全氟辛基磺酸銨 (PFOS-NH ₄) Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄)	29081-56-9
DEOC 及甘腐饥谷开加	全氟辛基磺酸二乙醇銨 (PFOS-NH(OH) ₂) Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) ₂)	70225-14-8
PFOS, 及其鹽&衍生物 (PFOS, its salts & derivatives)	全氟辛基磺酸四乙基銨 (PFOS-N(C_2H_5) ₄) Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-N(C_2H_5) ₄)	56773-42-3
	全氟辛基磺酸二癸二甲基銨 (PFOS-DDA) N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctane-1-sulfonate (PFOS-DDA)	251099-16-8
	全氟辛基磺醯氟 (POSF) Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
	全氟辛基磺酸鎂 (PFOS-Mg) Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4



Test Report

號碼(No.): ETR23C05759 日期(Date): 11-Jan-2024 頁數(Page): 9 of 18

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

物質濃度分類 (Classification of Substance Concentration)	物質名稱 (Substance Name)	CAS No.
PFOS, 及其鹽&衍生物	全氟辛基磺酸鈉 (PFOS-Na) Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0
(PFOS, 放兵鹽&衍主物 (PFOS, its salts & derivatives)	全氟辛烷磺酸哌啶 Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctanesulfonate	71463-74-6
	全氟辛酸 (PFOA)	335-67-1
	全氟辛酸鈉 (PFOA-Na) Sodium perfluorooctanoate (PFOA-Na)	335-95-5
	全氟辛酸鉀 (PFOA-K) Potassium perfluorooctanoate (PFOA-K)	2395-00-8
PFOA, 及其鹽&衍生物 (PFOA, its salts & derivatives)	全氟辛酸銀 (PFOA-Ag) Silver perfluorooctanote (PFOA-Ag)	335-93-3
(PPOA, its saits & derivatives)	全氟辛氟 (PFOA-F) Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	全氟辛酸銨 (APFO) Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	全氟辛酸鋰 (PFOA-Li) Lithium perfluorooctanoate (PFOA-Li)	17125-58-5



Test Report


號碼(No.): ETR23C05759 日期(Date): 11-Jan-2024 頁數(Page): 10 of 18

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)






Test Report

號碼(No.): ETR23C05759 日期(Date): 11-Jan-2024 頁數(Page): 11 of 18

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs






Test Report

號碼(No.): ETR23C05759 日期(Date): 11-Jan-2024 頁數(Page): 12 of 18

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】






Test Report

號碼(No.): ETR23C05759 日期(Date): 11-Jan-2024 頁數(Page): 13 of 18

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD






Test Report

號碼(No.): ETR23C05759 日期(Date): 11-Jan-2024 頁數(Page): 14 of 18

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

鹵素分析流程圖 / Analytical flow chart - Halogen






Test Report

號碼(No.): ETR23C05759 日期(Date): 11-Jan-2024 頁數(Page): 15 of 18

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)






Test Report

號碼(No.): ETR23C05759 日期(Date): 11-Jan-2024 頁數(Page): 16 of 18

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

多環芳香烴分析流程圖 / Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)





Test Report

號碼(No.): ETR23C05759 日期(Date): 11-Jan-2024 頁數(Page): 17 of 18


億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

元素(含重金屬)分析流程圖 / Analytical flow chart of elements (Heavy metal included)

根據以下的流程圖之條件,樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【参考方法/Reference method: US EPA 3051A、US EPA 3052】



* US EPA 3051A 方法未添加氫氟酸 / US EPA 3051A method does not add HF.



Test Report

號碼(No.): ETR23C05759 日期(Date): 11-Jan-2024 頁數(Page): 18 of 18

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR23C05759



** 報告結尾 (End of Report) **